

## Plastic Security Seal 1500watt



### Summary

SE standard series Free tone frequency automatic frequency control system.  
Ultrasonic frequency 20kHz output power of 1500W  
Desktop machine with oscillation box (optional purchase station work tables).



LL-2, Avani Plaza, Near Satellite Towers, Opp H.P. Petrol Pump,  
Satellite, Ahmedabad - 380015. Gujarat, India.

Tel: +91-79-40033558 | Mobile: +91-9374021441  
Email: [sheetal\\_ent@hotmail.com](mailto:sheetal_ent@hotmail.com) | Website: [www.ultrasonicwelding.in](http://www.ultrasonicwelding.in)

## Technical Data

<b>Model</b>	SE- 201500
<b>Frequency</b>	20KHz
<b>Power</b>	1500W
<b>Voltage</b>	200-240V/50-60Hz
<b>Weight</b>	102KG
<b>Dimensions</b>	540L*400W*1050H
<b>Welding time</b>	0.01-9.99S

## Functions and Features

- ✓ Load are resonant load.
- ✓ The output stepless adjustment (LED).
- ✓ The dual fuse protection, replacement parts and long life.
- ✓ The frequency counter display, frequency glance.
- ✓ The exclusive use of MOS-FET high-tech electronic components.
- ✓ Slow charging boot, automatic calibration frequency.
- ✓ Limit welding systems, welding after the workpiece will not spill glue.
- ✓ The time is not working because of mold temperature affect the resonance frequency ultrasound.
- ✓ Japan NTK series transducer, imported cylinder, strong power, good stability.



LL-2, Avani Plaza, Near Satellite Towers, Opp H.P. Petrol Pump,  
Satellite, Ahmedabad - 380015. Gujarat, India.

Tel: +91-79-40033558 | Mobile: +91-9374021441  
Email: [sheetal\\_ent@hotmail.com](mailto:sheetal_ent@hotmail.com) | Website: [www.ultrasonicwelding.in](http://www.ultrasonicwelding.in)

---

